

BARBIERI SAS • VIA MARISA BELLISARIO, 10 • 20825 BARLASSINA (MB) - ITALY
TEL. +39 0362 366363 • FAX +39 0362 366343
INFO@BARBIERISAS.IT • WWW.BARBIERISAS.IT

LA **BARBIERI SAS** FONDATA NEL 1987, HA SEMPRE AVUTO COME OBIETTIVO LA FORNITURA SU SCALA INTERNAZIONALE DI ARTICOLI TECNICI INDUSTRIALI, IN PARTICOLARE CUSCINETTI A STRISCIA (BOCCOLE AUTOLUBRIFICANTI O DA LUBRIFICARE), FILTRI SINTERIZZATI E SILENZIATORI PER ARIA COMPRESSA. FIN DAGLI INIZI L'AZIENDA HA CERCATO DI SVILUPPARE PRODOTTI E SERVIZI INNOVATIVI CHE SODDISFINO LE ESIGENZE DEI CLIENTI.

LA RETE DI VENDITA SI AVVALE DI RIVENDITORI CHE COPRONO IL TERRITORIO NAZIONALE ED EUROPEO. L'AZIENDA, AL FINE DI MANTENERE UN ELEVATO LIVELLO DI COMPETITIVITÀ, HA INTRAPRESO RAPPORTI COMMERCIALI CON IMPORTANTI PLAYER DEL MERCATO ASIATICO, COSTRUIENDO UN'UNITÀ PRODUTTIVA NEL TERRITORIO DELLO SICHUAN CON MARCHIO BARBIERI (**BARBIERI CHINA 1200 M²**); QUESTA SCELTA STRATEGICA DI UN CONTROLLO DIRETTO SUI PROCESSI PRODUTTIVI GARANTISCE AL CLIENTE UN'ELEVATA QUALITÀ E FLESSIBILITÀ DEI PRODOTTI.

LA SEDE CENTRALE DELLA **BARBIERI SAS** IN ITALIA DISPONE DI 4000 M²; IN QUESTA SEDE VENGO PRODOTTI SETTI POROSI SINTERIZZATI ED EFFETTUATE LAVORAZIONI MECCANICHE E MODIFICHE DIMENSIONALI SUGLI ARTICOLI STANDARD. MEDIANTE LA CONSOCIATA **COPOR SNC** (PRODUTTORE DI SILENZIATORI PER LA PNEUMATICA ED ELEMENTI FILTRANTI METALLICI) LA **BARBIERI SAS** COMPLETA INDIRETTAMENTE LA GAMMA DEGLI ARTICOLI OFFERTI.

LA **BARBIERI SAS**, IN QUALITÀ DI PRODUTTORE, OFFRE UNA VASTA GAMMA DI ARTICOLI STANDARD E SU DISEGNO; LA CLIENTELA PUÒ CONTARE SU UN AMPIO MAGAZZINO DI ARTICOLI STANDARD CON UN'ELEVATA QUALITÀ TECNICA ED UNA CONSEGNA GARANTITA IN 24 ORE ED UNA PROVATA CAPACITÀ DI GESTIONE DEGLI ARTICOLI SPECIALI. LA DIREZIONE È COSTANTEMENTE IMPEGNATA NEL RISPETTO DELLA SICUREZZA SUL LAVORO (LEGGE 81), NELL'OSSERVANZA DELLE SEVERE NORME STABILITE DALLE CERTIFICAZIONI DI QUALITÀ (CERTIFICAZIONE **UNI EN ISO 9001:2000**), NELLA RICERCA E NELLO SVILUPPO DI NUOVI PRODOTTI. TUTTI QUESTI FATTORI FANNO DELLA **BARBIERI SAS** IL PARTNER IDEALE PER IL VOSTRO BUSINESS.

SINCE 1987 **BARBIERI SAS** WORKED AS AN INTERNATIONAL SUPPLIER OF INDUSTRIAL TECHNICAL PRODUCTS, PARTICULARLY SLIDING BEARINGS (SELF-LUBRICATED BUSHINGS OR BUSHINGS TO BE LUBRICATED), SINTERED FILTERS AND PNEUMATIC SILENCER.

FROM THE BEGINNING THE COMPANY STRIVED TO DEVELOP INNOVATIVE PRODUCTS AND SERVICES THAT MEETS CUSTOMERS NEEDS.

ITS SALES NETWORK RELIES ON LOCAL DEALERS WHO COVER THE DOMESTIC AND THE EUROPEAN MARKET. THE COMPANY ESTABLISHED RELATIONSHIPS WITH IMPORTANT PLAYER OF THE ASIAN MARKET IN ORDER TO GAIN A COMPETITIVE ADVANTAGE. **BARBIERI SAS** ENSURES FLEXIBILITY AND PRODUCT QUALITY THROUGH THE DIRECT PRODUCTIVE PROCESS CONTROL BUILDING A PRODUCTIVE UNIT IN THE TERRITORY OF SICHUAN (**BARBIERI CHINA 1200 M²**).

BARBIERI SAS HEADQUARTER IN ITALY IS 4000 M²; IN THIS UNIT ARE PRODUCED POROUS SINTERED FILTERS AND ALSO MACHINED STANDARD PRODUCTS. IN ADDITION TO COMPLETE THE RANGE OF PRODUCTS **BARBIERI SAS** WORKS IN PARTNERSHIP WITH **COPOR SNC** (SILENCER FOR METAL AND PNEUMATIC FILTERS PRODUCER).

BARBIERI SAS OFFERS A WIDE RANGE OF ITEMS BOTH STANDARD AND CUSTOMIZED; CUSTOMERS CAN RELY ON A WELL-STOCKED WAREHOUSE WITH TOP-QUALITY STANDARDS PRODUCTS AND A GUARANTEED DELIVERY IN 24 HOURS.

THE MANAGEMENT IS COMMITTED TO THE CONTINUOUS IMPROVEMENT OF: SAFETY REGULATIONS (STRICT OBSERVANCE OF ITALIAN LAW 81), PROCESS CONSISTENCY (CERTIFIED **UNI EN ISO 9001:2000**), NEW PRODUCTS DEVELOPMENT AND RESEARCH.

ALL THESE FACTORS MAKES **BARBIERI SAS** THE RIGHT PARTNER FOR YOUR BUSINESS.

GAMMA PRODOTTI

I CATALOGHI SONO DISPONIBILI SU RICHIESTA O SCARICABILI DAL NOSTRO SITO WWW.BARBIERISAS.IT


PRODUCT RANGE

CATALOGS ARE AVAILABLE UPON REQUEST OR CAN BE DOWNLOADED FROM OUR WEBSITE WWW.BARBIERISAS.IT



RACCORDERIA PNEUMATICA PNEUMATIC CONNECTORS







ART. 100
VALVOLA SCARICO RAPIDO
DUMP VALVE

				M	M1	
A	1/8			42	28	14
B	1/4			54	38	17
C	3/8			54	38	21
D	1/2			73	44	26
E	3/4			90	55	32

ART. 110
NIPLO CONICO
TAPER NIPPLE

			 1	K	M	M1	
A		1/8	1/8	20	8,5	8,5	12
B		1/8	1/4	23	8,5	10,5	14
C		1/8	3/8	24,5	8,5	11	17
D		1/4	1/4	25,5	10,5	10,5	14
E		1/4	3/8	25,5	10,5	11	17
F		1/4	1/2	28,5	10,5	12,5	22
G		3/8	3/8	26	11	11	17
H		3/8	1/2	31	11	14	22
I		1/2	1/2	30,5	12,5	12,5	22
L		1/2	3/4	33	12,5	15	27
M		3/4	3/4	40	16,5	16,5	27
P		1/2	1	34	12,5	16	34
N		3/4	1	37	15	16	34
O		1	1	38	16	16	34





ART. 105
NIPLO CILINDRICO
PARALLEL NIPPLE

			 1	K	M	M1	
A		5MA	5MA	12	4,5	4,5	8
B		5MA	1/8	15	4,5	6,5	14
C		1/8	1/8	17	6,5	6,5	14
D		1/8	1/4	19	6,5	8	17
E		1/8	3/8	19	6,5	9	19
E		1/8	3/8	19	6,5	9	19
F		1/4	1/4	21	8	8	17
G		1/4	3/8	23	8	9	19
H		1/4	1/2	25	8	10	24
I		3/8	3/8	24	9	9	19
L		3/8	1/2	24,5	9	10	24
R		3/8	3/4	27	9	11	30
M		1/2	1/2	25,5	10	10	24
N		1/2	3/4	28	11,5	12,5	30
O		3/4	3/4	27	11	11	30
S		1/2	1	30	10	12,5	36
P		3/4	1	31	11	12,5	36
Q		1	1	33	12,5	12,5	36


ART. 115
PROLUNGA MASCHIO-FEMMINA CILINDRICA
FEMALE-MALE PARALLEL PATCH CORD

			 1	K	M		
A		5MA	5MA	11	4,5		8
B		5MA	1/8	16	4,5		14
T		6MA	1/8	16,5	5		14
C		1/8	1/8	17,5	6,5		14
D		1/8	1/4	20	6,5		17
E		1/8	3/8	21	6,5		22
F		1/4	1/4	21	8		17
G		1/4	3/8	23	8		22
H		1/4	1/2	26	8		27
L		3/8	3/8	23	9		22
M		3/8	1/2	26	10,5		27
O		3/8	3/4	27	10,5		32
N		1/2	1/2	26	10		27
P		1/2	3/4	28	12		32
V		1/2	3/4	28	10		38
R		1/2	1	28	11,5		38
Q		3/4	3/4	28	11		38
I		3/4	1	30	11		38
S		1	1	30	12		38






ART. 120 PROLUNGA MASCHIO-FEMMINA CONICA FEMALE-MALE TAPER PATCH CORD							
			1	K	Z		
A		1/8	1/8	20	8,5		14
B		1/8	1/4	21	8,5		17
C		1/8	3/8	22	8,5		22
D		1/4	1/4	22	10,5		17
E		1/4	3/8	24,5	10,5		22
F		1/4	1/2	28	10,5		27
G		3/8	3/8	24,5	11		22
H		3/8	1/2	27	11		27
L		3/8	3/4	29	11		32
I		1/2	1/2	28	12,5		27
M		1/2	3/4	30	12,5		32
O		1/2	1	31	14		38
N		3/4	3/4	31	15		32
P		3/4	1	32	15		38
Q		1	1	33	16		38




ART. 125 MANICOTTO FEMMINA-FEMMINA PIPE COUPLING FEMALE-FEMALE							
			1	Z			
A		5MA	5MA	11			8
B		5MA	1/8	13			14
C		1/8	1/8	15			14
D		1/8	1/4	20			17
E		1/8	3/8	20			22
F		1/4	1/4	22			17
G		1/4	3/8	22			22
H		1/4	1/2	24			27
I		3/8	3/8	24			22
L		3/8	1/2	25			27
R		3/8	3/4	25,5			32
M		1/2	1/2	29			27
N		1/2	3/4	26			32
S		1/2	1	26			38
O		3/4	3/4	29			32
P		3/4	1	26			38
Q		1	1	31			38

ART. 130 PROLUNGA MASCHIO-FEMMINA PATCH CORD							
			1	Z	Y		
A		1/8	1/8	23	6,5		12
B		1/8	1/8	48,5	6,5		12
F		1/8	1/8	22	6,5		14
G		1/8	1/8	42	6,5		14
C		1/4	1/4	28	8		16
D		1/4	1/4	45	8		16
H		1/4	1/4	35	8		17
I		1/4	1/4	51	8		17
L		3/8	3/8	41	9		22
E		1/2	1/2	36	10		24
M		3/4	3/4	50	11		30
N		1	1	50	12,5		38




ART. 135 RIDUZIONE MASCHIO-FEMMINA CILINDRICA FEMALE-MALE PARALLEL REDUCER							
			1	K	Z		
A		1/8	5MA	11	6,5		14
B		1/4	1/8	13	8		17
C		3/8	1/8	14	9		19
D		3/8	1/4	14	9		19
O		1/2	1/8	15,5	10		24
E		1/2	1/4	15,5	10		24
F		1/2	3/8	15,5	10		24
N		3/4	1/4	17	11,5		30
G		3/4	3/8	17	11,5		30
H		3/4	1/2	17	11,5		30
I		1	3/8	19	13,5		36
L		1	1/2	20	13,5		36
M		1	3/4	20	13,5		36




**ART. 140****RIDUZIONE MASCHIO-FEMMINA CONICA**
MALE-FEMALE TAPER REDUCER


				K	Z		
A		1/4	1/8	15,5	10,5		14
B		3/8	1/8	15,5	10,5		17
C		3/8	1/4	15,5	10,5		17
N		1/2	1/8	17,5	12,5		22
D		1/2	1/4	17,5	12,5		22
E		1/2	3/8	17,5	12,5		22
F		3/4	1/4	20	15		27
G		3/4	3/8	20	15		27
H		3/4	1/2	20	15		27
I		1	3/8	22	16		34
L		1	1/2	22	16		34
M		1	3/4	22	16		34

**ART. 155****TAPPO FEMMINA**
FEMALE END PLUG


			Y	K			
C		5MA	6	7			8
A		1/8	9	11			14
B		1/4	12	14			16
D		3/8	12	14			21
E		1/2	12	14,5			24
F		3/4	12	14,5			30
G		1	12	14,5			38

**ART. 145****TAPPO MASCHIO CILINDRICO**
PARALLEL MALE END PLUG


			Y	Z			
G		5MA	4,5	7,5			8
A		1/8	6,5	10,5			14
B		1/4	8	12			17
C		3/8	9	13			19
D		1/2	10	15			24
E		3/4	11	16			30
F		1	13	19			36

**ART. 160****TAPPO ESAGONO INTERNO**
INTERNAL HEXAGON PLUG


			Y			
A		1/8	7			5
B		1/4	10			6
C		3/8	10			8
D		1/2	10			10

**ART. 150****TAPPO MASCHIO CONICO**
TAPER MALE END PLUG

			Y		Z		
A		1/8	8,5		12		10
B		1/4	9,5		15		14
C		3/8	11		15,5		17
D		1/2	12,5		19		22
E		3/4	15		21		27
F		1	16		23		36

**ART. 161****TAPPO CONICO ESAGONO INTERNO**
INTERNAL TAPERED HEXAGONAL PLUG


			Y			
A		1/8	7,5			5
B		1/4	10			6
C		3/8	10,5			8
D		1/2	12,5			10






ART. 165
PORTAGOMMA
ELBOW HOSE CONNECTOR

	Ø		Y	K	Z		
O	6	1/8	6,5	25	16		14
A	7	1/8	6,5	25	16		12
B	8	1/8	6,5	25	16		12
C	9	1/8	6,5	29	19		12
D	7	1/4	8	31	18,5		17
E	8	1/4	8	31	18,5		17
F	9	1/4	8	31	18,5		17
P	10	1/4	8	31	18,5		17
G	12	1/4	8	31	18,5		17
H	9	3/8	9	32	19		19
Q	10	3/8	9	32	19		19
I	12	3/8	9	32	19		19
L	17	3/8	9	33	19		19
M	12	1/2	10	34	19		24
R	14	1/2	10	38	23		24
N	17	1/2	10	38	23		24
S	19	1/2	10	38	23		24




ART. 166
PORTAGOMMA FEMMINA
FEMALE END ELBOW HOSE CONNECTOR

	Ø		Y	K			
A	7	1/8	8,5	16			12
B	8	1/8	8,5	16			12
C	9	1/8	8,5	16			12
D	7	1/4	10	19			17
E	8	1/4	10	19			17
F	9	1/4	10	19			17
G	12	1/4	10	19			17




ART. 170
REGOLATORE DI PRESSIONE
PRESSURE REGULATOR

			1		M		
A		1/8	1/8		24		12
B		1/8	1/4		24		14
C		1/8	3/8		26		17
D		1/4	3/8		26		17
E		1/4	1/2		35		22
F		3/8	1/2		33		22




ART. 200
CURVA FEMMINA-FEMMINA
FEMALE-FEMALE ELBOW

			Y	K			
A		5MA	5,5	12			8
D		1/8	9	19			10
B		1/4	11	24			13
E		3/8	11	27			17
C		1/2	15	34			21




ART. 205
CURVA FEMMINA-MASCHIO CONICO
FEMALE-MALE TAPER ELBOW

			Y	K	Z		
A		5MA	4,5	15	10		8
C		1/8	9	17	22		10
E		1/4	12	24	25		13
B		3/8	11	24	30		17
D		1/2	15	31	33		21



ART. 210


CURVA MASCHIO-MASCHIO CONICA
MALE-MALE TAPER ELBOW



			Y	K			
A		5MA	4,5	14			8
C		1/8	9	17			10
E		1/4	11	21			12
B		3/8	11,5	24			16
D		1/2	14	28			17

ART. 225


RACCORDO A T FEMMINA-MASCHIO CONICO
TAPER MALE-FEMALE TEE



			Y	K	M	U	
A		5MA	5MA	13	23	13	8
C		1/8	1/8	18,5	36,5	18,5	10
E		1/4	1/4	23,5	49	23,5	13
B		3/8	3/8	26	54	26	17
D		1/2	1/2	31	64,5	31	21

ART. 215


RACCORDO A GROCE FEMMINA
FEMALE EQUAL CROSS



			Y		M		
C		1/8	8		42		10
E		1/4	11		51		13
B		3/8	11,5		56		17
D		1/2	14		69		21

ART. 230


RACCORDO A T MASCHIO CONICO
TAPER MALE TEE



			Y	K	Z		
A		5MA	6	27,5	14		8
C		1/8	9	37	17		10
E		1/4	11,5	40	20		12
B		3/8	11,5	47	22		13
D		1/2	15	57	29		17

ART. 220


RACCORDO A T FEMMINA
FEMALE TEE



			Y	K	M		
A		5MA	4,5	8	17		8
C		1/8	9	19	39		10
E		1/4	11	25	50		13
B		3/8	15	27	55		17
D		1/2	15	34	64		21

ART. 235


RACCORDO A T MASCHIO CONICO-FEMMINA
MALE TAPER-FEMALE TEE



			Y	K	M		
A		5MA	4,5	9	26		8
C		1/8	9	20	37		10
E		1/4	11,5	24	48		13
B		3/8	11,5	27	55		17
D		1/2	15	35	66		21

ART. 240


RACCORDO A T FEMMINA-MASCHIO CONICO
TAPER FEMALE-MALE TEE



			Y	K	M		
A		5MA	5	12	22		9
C		1/8	9	17	39		10
E		1/4	11	22	50		13
B		3/8	11,5	27	55		17
D		1/2	15	32	66		21

ART. 245


RACCORDO A T FEMMINA-MASCHIO CONICO
TAPER FEMALE-MALE TEE



			Y	K	M		
A		5MA	5	12	26		8
C		1/8	7	19	37		10
E		1/4	11	25	78		13
B		3/8	15	27	55		17
D		1/2	15	34	64		21

ART. 500


RACCORDO DIRITTO MASCHIO CILINDRICO
MALE PARALLEL STRAIGHT JOINT




	Ø		Y		M	1	2
M	5/3	5MA	4,5		20	9	8
N	6/4	5MA	4,5		20	9	8
O	5/3	6MA	4,5		20	9	8
P	6/4	6MA	4,5		20	9	8
L	5/3	1/8	6,5		24	9	12
A	6/4	1/8	6,5		26	12	14
B	8/6	1/8	6,5		26	14	14
C	10/8	1/8	6,5		28	16	14
D	6/4	1/4	8		27	12	16
E	8/6	1/4	8		27	14	16
F	10/8	1/4	8		29	16	16
G	6/4	3/8	9		28	12	19
H	8/6	3/8	9		28	14	19
I	10/8	3/8	9		29	16	19

ART. 505

RACCORDO DIRITTO FEMMINA
FEMALE STRAIGHT JOINT





	Ø		Y		M	1	2
A	6/4	1/8	9		26	12	14
B	8/6	1/8	9		26	14	14
C	10/8	1/8	9		26	16	14
D	6/4	1/4	10		26	12	16
E	8/6	1/4	10		26	14	16
F	10/8	1/4	10		28	16	16

**ART. 510****RACCORDO DIRITTO MASCHIO CONICO**
TAPER MALE STRAIGHT JOINT

	Ø		Y		M	1	2
A	6/4	1/8	8		27	12	12
B	8/6	1/8	8		27	14	12
C	10/8	1/8	8		28	16	14
D	6/4	1/4	11		30	12	14
E	8/6	1/4	11		30	14	14
L	5/3	1/8	8		27	12	12
F	10/8	1/4	11		30	16	14
G	6/4	3/8	12		30	12	17
H	8/6	3/8	12		30	14	17
I	10/8	3/8	12		32	16	17

**ART. 530****RACCORDO A L FEMMINA**
FEMALE ELBOW


	Ø		Y		M	1	2
B	6/4	1/8	9		17	12	10
D	6/4	3/8	10		25	12	11
E	8/6	1/8	9		22	14	10
H	10/8	1/8	9		25	16	12
C	6/4	1/4	12		22	12	11
F	8/6	1/4	10		22	14	11
G	8/6	3/8	10		21	14	11
I	10/8	1/4	10		27	16	11

**ART. 515****RACCORDO DIRITTO INTERMEDIO**
STRAIGHT CONNECTOR



	Ø		M	1	2	3
A	5/3		28,5	8	8	8
C	6/4		34,5	12	12	12
B	8/6		35	14	14	14
D	10/8		38	16	16	14
E	12/10		41	18	18	17
F	15/12,5		45,5	22	22	22

ART. 535**RACCORDO A L INTERMEDIO**
ELBOW CONNECTOR


	Ø		M	1	2
A	5/3		20	8	7
C	6/4		22	12	8
B	8/6		22	14	10
D	10/8		25	16	12

**ART. 540****RACCORDO A L MASCHIO CONICO**
TAPER ORIENTING ELBOW MALE ADAPTOR

	Ø		Y		M	1	2
A	5/3	1/8	8		18	8	8
B	6/4	1/8	8		22	10	9
E	8/6	1/8	8		22	14	10
H	10/8	1/8	8		25	16	11
C	6/4	1/4	11		22	12	10
F	8/6	1/4	11		22	14	10
I	10/8	1/4	11		25	16	12
D	6/4	3/8	12		24	12	10
G	8/6	3/8	12		24	14	11
L	10/8	3/8	12		27	16	11

**ART. 520****RACCORDO ATTRAVERSAMENTO INTERMEDIO**
BULKHEAD CONNECTOR



	Ø	A MAX.	M	1	2
A	5/3	9	40	8	9
C	6/4	14	48	12	14
B	8/6	12	48	14	16
D	10/8	10	50	16	17
E	12/10	10	53	18	19
F	15/12,5	10	58	22	24

**ART. 550****RACCORDO A GROCE INTERMEDIO**
EQUAL CROSS CONNECTOR

					M	1	2
A		5/3			43	8	8
C		6/4			45	12	8
B		8/6			45	14	10
D		10/8			51	16	11

ART. 565**RACCORDO A T INTERMEDIO**
TEE CONNECTOR



	Ø			Z	M	1	2
A	5/3			22	43	8	8
C	6/4			22	44	12	8
B	8/6			22	45	14	10
D	10/8			26	50	16	12

**ART. 555****RACCORDO A T MASCHIO CONICO**
TAPER TEE MALE CONNECTOR

	Ø		Y	Z	M	1	2
A	5/3	1/8	8	11	43	8	8
B	6/4	1/8	8	13	44	12	8
E	8/6	1/8	8	17	45	14	10
H	10/8	1/8	8	18	50	16	11
C	6/4	1/4	10	18	45	12	8
F	8/6	1/4	10	20	45	14	10
I	10/8	1/4	10	20	49	16	12

ART. 600**DADO**
NUT


					M		
A		1/8			3,5		12
C		1/4			3,5		16
B		3/8			4		19
D		1/2			4		24


**ART. 560****RACCORDO A T MASCHIO CONICO**
TAPER TEE MALE CONNECTOR

	Ø		Y	Z	M	1	2
A	5/8	1/8	8	20	38	8	8
B	6/4	1/8	8	22	39	12	8
E	8/6	1/8	8	22	39	14	10
H	10/8	1/8	8	18	44	16	11
C	6/4	1/4	10	23	41	12	10
F	8/6	1/4	10	18	43	14	10
I	10/8	1/4	10	25	47	16	10

ART. 700**DADO DI BLOCCAGGIO**
LOCKING NUT


	Ø			Z	M		
A	6/4			10P1	10		12
C	8/6			12P1	10		14
B	10/8			14P1	11,5		16






ART. 035
PORTAGOMMA 90°
HOSE CONNECTOR 90°

	Ø		Y	K	M	M1	
A	6	1/8	8	18,5	22,5	14	8
B	6	1/8	8	23	22,5	14	8
C	6	1/4	11	23	23	14	9
D	7	1/8	8	18,5	22,5	14	8
E	7	1/8	8	23	22,5	14	8
F	7	1/4	11	23	23	14	9



ART. 038
PORTAGOMMA 90° LUNGO
HOSE CONNECTOR 90° LONG

	Ø		Y	K	M	M1	
A	6	1/8	8	22	32,5	14	9
B	6	1/8	8	18,5	38	21,5	8
C	6	1/4	11	23	32,5	14	9
D	7	1/8	8	22	32,5	14	9
E	7	1/8	8	18,5	38	21,5	8
F	7	1/4	11	23	32,5	14	9




ART. 039
PORTAGOMMA 90°
HOSE CONNECTOR 90°

	Ø		Y	K	M	M1	
A	6	1/8	8	20,5	34,5	25	9
B	6	1/4	11	20,5	34,5	25	9
C	7	1/8	8	20,5	34,5	25	9
D	7	1/4	11	20,5	34,5	25	9


ART. 040
PORTAGOMMA 120°
HOSE CONNECTOR 120°

	Ø		Y	K	M	M1	
A	6	1/8	8	18,5	27	21	8
B	7	1/8	8	18,5	27	21	8




ART. 041
PORTAGOMMA 120° FEMMINA
HOSE CONNECTOR 120° FEMALE

	Ø		Y	K	M	M1	
A	6	1/8	8	19,5	38	21	8
B	7	1/8	8	19,5	38	21	8



ART. 043
PORTAGOMMA 120° LUNGO
HOSE CONNECTOR 120° LONG

	Ø		Y	K	M	M1	
A	6	1/8	8	18,5	38	23	8
B	7	1/8	8	18,5	38	23	8



ART. 100



VALVOLA A SCARICO RAPIDO
DUMP VALVE

ART. 120



PROLUNGA/ EXTENSION

ART. 140



RIDUZIONE/ REDUCER

ART. 160



TAPPO/ PLUG

ART. 170



REGOLATORE PRESSIONE
PRESSURE REGULATOR

ART. 215



RACCORDO/ ADAPTOR

ART. 105



NIPLO/ NIPPLE

ART. 125



MANICOTTO/ PIPE COUPLING

ART. 145



TAPPO/ PLUG

ART. 161



TAPPO/ PLUG

ART. 200



RACCORDO/ ADAPTOR

ART. 220



RACCORDO/ ADAPTOR

ART. 110



NIPLO/ NIPPLE

ART. 130



PROLUNGA/ EXTENSION

ART. 150



TAPPO/ PLUG

ART. 165



PORTAGOMMA/ HOSE CONNECTOR

ART. 205



RACCORDO/ ADAPTOR

ART. 225



RACCORDO/ ADAPTOR

ART. 115



PROLUNGA/ EXTENSION

ART. 135



RIDUZIONE
REDUCER

ART. 155



TAPPO/ PLUG

ART. 166



PORTAGOMMA/ HOSE ADAPTER

ART. 210



RACCORDO
ADAPTOR

ART. 230



RACCORDO/ ADAPTOR



ART. 235



RACCORDO/ ADAPTOR

ART. 505

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 530

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 555

RACCORDO A COMPRESSIONE
CONNECTOR TO COMPRESSION

ART. 700



DADO DI BLOCCAGGIO/ LUCKING NUT

ART. 040



PORTAGOMMA/ HOSE ADAPTER

ART. 240



RACCORDO/ ADAPTOR

ART. 510

RACCORDO A COMPRESSIONE
COMPRESSION CONNECTOR

ART. 535

RACCORDO A COMPRESSIONE
COMPRESSION CONNECTOR

ART. 560

RACCORDO A COMPRESSIONE
COMPRESSION CONNECTOR

ART. 035



PORTAGOMMA/ HOSE ADAPTER

ART. 041



PORTAGOMMA/ HOSE CONNECTOR

ART. 245



RACCORDO/ ADAPTOR

ART. 515

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 540

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 565

RACCORDO A COMPRESSIONE
COMPRESSION CONNECTOR

ART. 038



PORTAGOMMA/ HOSE CONNECTOR

ART. 043



PORTAGOMMA/ HOSE CONNECTOR

ART. 500

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 520

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 550

RACCORDO A COMPRESSIONE
ADAPTOR TO COMPRESSION

ART. 600



DADO/ NUT

ART. 039



PORTAGOMMA/ HOSE CONNECTOR